

PRINTING SYSTEM

HYDRA GLITTERING BASE

Material safety data sheet

Date of issue: 15/01/11 (rev 01 - 17/04/2015)

Page 1 of 4

www.virusinks.com virus@virusinks.com

SECTION 1: Chemical product and company identification

1.1. Product name

HYDRA GLITTERING BASE

1.2. Product use description

Screen printing paste

1.3. Company name

QUAGLIA S.r.I.

Via Papa Giovanni XXIII, 65 - 24052 Azzano San Paolo (BG) - ITALY

Phone +39 035 532040 Fax +39 035 531040

E-mail: quaqlia@quaqlia.it

1.4. Emergency contact

Phone +39 035 532040

SECTION 2: Hazard identification

2.1. Classification

The product is not classified as hazardous under the current European legislation (see the references in paragraph 15 of this safety data sheet)

Under current European legislation (see the references in paragraph 15 of this safety data sheet) is not necessary to highlight specific information

2.3. Other dangers

Under normal operating conditions, the product is not considered as dangerous to humans and the environment

SECTION 3: composition / information on ingredients

The product does not contain hazardous components.

SECTION 4: First aid measures

The product has no acute effects under normal conditions of use

| SKIN CONTACT | Wash thoroughly with water. |
|--------------|--|
| EYES CONTACT | Wash thoroughly with water. |
| INHALATION | Remove from exposure and take place in a ventilated place. If you feel unwell seek medical advice. |
| INGESTION | No specific measures. Seek medical advice. |

SECTION 5: Fire fighting measures

| 5.1 Extinguishing media | Suitable: dry chemical, carbon dioxide, water Unsuitable: none. |
|---|--|
| 5.2 Special hazards from the substance or mixture | The products of combustion may contain carbon monoxide and other harmful gases. There are no risks of the formation of potentially explosive atmospheres. |
| 5.3. Precaution for fire-fighters | Full protective clothing and appropriate protection for the respiratory tract, depending on exposure conditions (filters or respirator). |





SYSTEM

HYDRA GLITTERING BASE

Material safety data sheet

Date of issue: 15/01/11 (rev 01 - 17/04/2015)

Page 2 of 4

www.virusinks.com virus@virusinks.com

SECTION 6: Accidental release measures

| 6.1. Perso | nal | precaut | ions, | For those not directly involved: no special precautions are |
|--|-------|---------|--|--|
| protective | equip | oment | and | necessary |
| procedures | in | case | of | For those directly involved: recommended gloves and protective |
| emergency | | | | clothing |
| 6.2. | Eı | nvironm | ental | Prevent product from entering the drainage system or be released |
| precautions | | | | to the ground. |
| 6.3. Methods and materials for cleaning up | | lo for | In case of spillage, collect mechanically and by absorption with | |
| | | 15 101 | inert material. | |
| | | | Dispose of waste according to current legislation on waste. | |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure with the necessary collective and personal protection and the adoption of good industrial hygiene practices.

Handle in well ventilated work places.

Wash hands after handling.

Do not consume food and beverages during handling.

7.2. Conditions for safe storage, including any incompatibilities

Always identify the containers.

There are no known incompatibilities with other products or materials.

Keep container tightly closed.

Store between 5 - 35°C.

SECTION 8: Exposure controls / personal protection

8.1 Exposure guidelines

Based on available information, can be found in the literature (European legislation, ACGIH,

NIOSH, OSHA), the following data

| Ingredients | CAS number | TLV (ACGIH 2010) mg/m ³ |
|-------------|------------|--|
| - | - | - |

8.2. Exposure controls

8.2.1. Engineering controls

Handle in well ventilated work places.

8.2.2. Personal protection

| EYES PROTECTION | Use eye protection (EN 166) |
|------------------------|--|
| SKIN PROTECTION | Avoid contact with skin. Adopt standard workwear. |
| HAND PROTECTION | Wear protective gloves. |
| RESPIRATORY PROTECTION | Not required. |
| ENVIRONMENTAL EXPOSURE | Depending on the type of work performed, comply with mandatory requirements and standards of good practice. The diffusion in air of combustion products (see Section 5 and 10) and the dispersion of the material on soil and water (see Sections 12, 13) constitute potential risk to the environment |





PRINTING SYSTEM

HYDRA GLITTERING BASE

Material safety data sheet

Date of issue: 15/01/11 (rev 01 - 17/04/2015)

Page 3 of 4

www.virusinks.com virus@virusinks.com

SECTION 9. Physical and chemical properties

a) Appearance: white viscous paste

b) Smell: mild c) Odor Threshold: 8 d) pH:

e) Melting / freezing point: 0°C (water) f) Boiling point: 100°C (wáter) g) Viscosity (25°C) 15000 mPas

h) Solubility water

i) Density (20°C) $1,00 - 1,50 \text{ g/cm}^3$

SECTION 10: Stability and reactivity

10.1. Reactivity No known dangers 10.2. Stability

Stable under normal conditions and in conditions of temperature and pressure expected during storage and handling.

10.3. Hazardous reactions

None

10.4. Conditions to avoid

Temperature < 5°C or >35°C. Direct sunlight.

10.5. Incompatible products

None

10.6. Hazardous combustion products

In case of fire, the products of combustion may contain carbon monoxide and other harmful

SECTION 11: Toxicological information

| Acute oral toxicity | LD50 > 2000 mg/kg |
|-----------------------|--------------------------------|
| Acute dermal toxicity | LD50 > 2000 mg/kg |
| Skin irritation | Possible for mechanical effect |
| Eyes irritation | Possible for mechanical effect |
| Skin sensibilization | None |
| Chronic toxicity | None |
| Mutagenicity | not mutagenic |
| Carcinogenicity | Not carcinogenic |

SECTION 12. Ecological information

Follow good working practices. Avoid the dispersion into the environment

12.1. Toxicity:

BOD₅ 130 gO₂/I COD 990 gO₂/I

EC50 (Daphnia magna, 48h) > 100 ml/l OECD202

EC50 (Selenastrum capricornutum, 72h) > 100 ml/l OECD201

- 12.2. Persistence and degradability: no data available for the product or its components.
- 12.3. Bioaccumulative potential: no data available for the product or its components.
- 12.4. Mobility in soil: no data available for the product or its components.





SYSTEM

HYDRA GLITTERING BASE

Material safety data sheet

Date of issue: 15/01/11 (rev 01 – 17/04/2015)

Page 4 of 4

www.virusinks.com virus@virusinks.com

SECTION 13: Disposal considerations

Recover if possible.

Respect local and national regulations about disposal. Product residues and containers contaminated with the product may be classified and managed as hazardous waste. Do not dispose of into sewer.

SECTION 14: Transport information

No dangerous good under transport regulations

- 14.1. UN Number: Not applicable 14.2. Shipping name: not applicable
- 14.3. Transport hazard class: not applicable
- 14.4. Packing group: not applicable
- 14.5. Environmental hazards: Not applicable
- 14.6. Special precautions for user: Not applicable
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory information

EC Regulation n. 1907/2006 (REACH)

VOC (volatile organic compounds):

SECTION 16: Other information

The information contained herein is based on our knowledge at the time of writing of this safety data sheet. They only refer to the product indicated and constitute no guarantee of particular quality.

The user must verify the suitability and completeness of such information in relation to the specific use intended.

This material safety data sheet replaces any previous edition and revision.

For the preparation of this MSDS, in addition to existing mandatory regulations, have been consulted the websites of the following organizations and institutions:

- Istituto Superiore di Sanità (www.iss.it/dbsp)
- Istituto Superiore per la Prevenzione E la Sicurezza negli ambienti di Lavoro (www.ispesl.it)
- www.cdc.gov/niosh/
- www.osha.gov/
- toxnet.nlm.nih.gov/

Provide adequate information and training of workers, in accordance with the mandatory dispositions.

